

In the City Council
City of Lodi
Lodi, California

*Bids rejected
8-21-40*

**RESOLUTION NO. 1059
RESOLUTION OF AWARD**

WHEREAS, in accordance with law and order of this City Council, a "Notice to Bidders" was published in time, form and manner as is in such instances required, as is evidenced by affidavit on file and of record with the City Clerk of this City, a copy of which notice is annexed hereto and made part hereof, and,

WHEREAS, among other things, said notice specified that sealed bids would be received by this City Council on Wednesday the 7th day of August, 1940, and,

WHEREAS, sealed bids as above stated, were received, opened and declared on the said 7th day of August, 1940 and this City Council did then and there order that the same stand submitted for consideration to and until 8 o'clock P. M. of Wednesday, the 21st day of August, 1940, therefore,

BE IT RESOLVED, that this City Council in open meeting on this 21st day of August, 1940 does hereby reject all of said bids save and except that of, _____

to whom is hereby awarded the contract to furnish the materials specified and install the same at the price stated in its bid, this City Council herein declaring that the said bid is the lowest and best bid received.

----- 0 -----

Certified to be a full, true and correct copy of Resolution No. 1059 of the City Council of the City of Lodi as passed and adopted in a regular meeting of said City Council held Wednesday, August 21, 1940 by the following vote:

AYES: Councilmen,

NOES: Councilmen,

ABSENT: Councilmen

J. F. BLAKELY, City Clerk and
ex-officio Clerk of the City
Council, City of Lodi.

AUGUST 21, 1940

**ICE TO BIDDERS
Floodlight Reflectors**

The City Council of the City of Lodi will receive sealed proposals for flood light reflectors in the manner hereinafter set forth up until the hour of 5:00 P. M. of Wednesday, August 7, 1940 at the office of the City Clerk of said City; bids so received will be opened before the said City Council at 8:00 P. M. of said day in the Council Chambers in the City Hall.

All proposals must be sealed, bear the name of the bidder, and be plainly endorsed "Bid on Floodlight Reflectors."

Information for Bidders

The City of Lodi intends to purchase and install approximately eighty-four (84) Polished Alzak, narrow beam, 1500 watt floodlight reflectors. The units are to be complete with clear glass lens or cover glass and bracket for mounting on a horizontal surface four (4) inches wide.

These reflectors will be installed by the City on steel towers now being constructed at the municipal stadium and are to be used for floodlighting the football field.

The top mounting surface for top bank of flood lights is to be approximately one hundred and nine (109) feet above and one hundred and twenty-nine (129) feet measured horizontally from the edge of the playing field. Two other mounting surfaces are to be provided, one 2 1/2 feet and one 5 feet below the top mounting surface above mentioned. Each surface is designed to accommodate six (6) floodlights mounted two and one-half (2 1/2) feet on centers horizontally. There will be three (3) towers on each side of the playing field, spaced approximately 151 1/2 feet on centers and placed symmetrically with respect to the field.

The floodlights will be connected on two circuits for the purpose of supplying a lower intensity illumination to the field when desired.

The lamps will be operated at approximately ten per cent (10%) above the rated voltage.

Form of Bid

Each bid shall contain the following information and data:

1. Recommendation for the number, placing and focusing of the units on the above mentioned towers such recommendation to bear the manufacturer's certificate of approval.

2. "Light Distribution Curve" for the units offered made in conformance with the National Electric Manufacturers Association "Approved Standards." This curve shall contain all the data specified on page 22 of the above mentioned association's publication "PLS" dated March 31, 1938, for the units offered, equipped with the covers offered and using a standard PS-52-1500 watt lamp operating at rated voltage. The information required in the paragraph shall be certified correct by the manufacturers or bear the certificates of a recognized testing laboratory.

3. Cuts or photographs showing the dimensions and construction of the unit offered, and such specifications and/or guarantees as the bidder and manufacturer will make for the performance and life of the unit offered.

4. The unit price delivered Lodi Stadium, of the reflectors complete with mounting bracket, but not including lamp.

5. The unit price delivered without glass cover, but equipped with hinges or bracket so that cover may be installed on reflector later if desired.

6. Statements as to terms and discounts and whether prices quoted include California Sales Tax.

7. The time required to make delivery after receipt of order.

No bidding deposit will be required.

The City Council reserves the right to reject any and all proposals.

By Order of the City Council,
City of Lodi.

J. F. BLAKELY,
City Clerk